

**This risk assessment is provided to assist in ensuring risk to performers, stage staff and audience is negligible.
It also ensures the bands public liability insurance is not compromised.**

<u>HAZARDS</u>	<u>RISK FACTOR</u>	<u>PREVENTATIVE ACTION</u>
<p>POWER SUPPLY - Death / injury from electric shock</p>	<p>2 LOW</p>	<p>Management to ensure power supply is compliant to all health and safety regulations.</p>
<p>ELECTRICAL EQUIPMENT - AMPLIFIERS, MIXING DESKS ETC. Death / injury from electric shock.</p>	<p>2 LOW</p>	<p>House P.A. To conform to current legislation in terms of safety and operated by trained personal Murphy's Marbles equipment All backline amplifiers/power equipment up to date P.A.T. tested. Test label to be clearly visible on inspection.</p>
<p>ELECTRICAL EQUIPMENT - CABLES, LEADS, AND WIRES. Injury to audience due to tripping hazard.</p>	<p>2 LOW</p>	<p>Wires to be placed away from public access and egress points. In areas where this is not possible, to be covered or taped down.</p>
<p>PERFORMANCE BEHAVIOUR Injury due to falling over or off stage due to inappropriate behaviour, alcohol etc.</p>	<p>2 LOW</p>	<p>Murphy's Marbles will ensure their performance does not put themselves or the audience at unreasonable risk Performers not to consume alcohol prior to or when performing</p>
<p>PERFORMANCE AREA - UNAUTHORISED PERSONNEL Death / Serious injury due to tampering.</p>	<p>2 LOW</p>	<p>Management to provide a performance area, which is clearly defined as such. To minimise interference to performers and tampering with equipment.</p>
<p>PERFORMANCE /OPERATING AREA. Injury to performers / audience due to coming in to contact with each other.</p>	<p>2 LOW</p>	<p>Management to ensure area for performance is not for general public use.</p>